



OPTIONS

Casing

- soft wood
- hardwood of European origin
- hard wood (oil finish)
- premium hard wood
- HPL

Methods of installation

- attached by bolts to foundation

Container

- galvanized steel container

DESCRIPTION

The Pavo 15.263 double compartment recycling bin is a solid urban bin with a modern, universal design, elaborated with attention to the smallest details.

Construction - is made of steel with a wooden finish. Choose between carbon steel, galvanised and powder-coated in a RAL colour of your choice, or stainless steel. The wood can be softwood, twice lacquered in the colour specified by the customer, or hardwood (protected by oiling). Alternatively to wood we can use HPL or the bin can be entirely made of steel.

Inserts - The bin has two inserts made of galvanised sheet metal. Access to them is convenient by tilting the front part of the basket.

Methods of installation - The basic way of fixing the basket is by screwing it to the foundation.

Order customisation - inscriptions can be cut into the bin according to purpose (e.g. paper, metal, mixed), in stainless steel we can etch information or a logo. A sticker may be placed on the bin.



GENERAL TECHNICAL DATA

Weight

- soft wood: 76 kg
- hardwood of European origin: 86 kg

Materials

- insert - galvanised sheet metal
- construction - carbon steel or stainless steel
- Finish - European coniferous wood / exotic wood / HPL / steel

Capacity

- number of containers: 2 pcs
- capacity of one container: 50 l

Dimensions

- width: 72 cm
- height: 104 cm
- depth: 30 cm

ZANO



Filip Babiarz

Product: Recycling bin Pavo
 Catalog number: 15.263
 Designer: Filip Babiarz




td>

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Miroslaw Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Miroslaw Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Miroslaw Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

NOTE: The drawings do not reflect the actual dimensions of the foundation. They are only exemplary assembly schemes taking into account the type of anchoring and the substrate material to which the furniture is to be fixed.


The size of the foundation depends on the local foundation conditions.



INSTALLATION INTO PAVING WITH FOUNDATION

Description of the assembly


1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
7. Ground



INSTALLATION TO PAVING

Description of the assembly


1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Ground



CONCRETE / ASPHALT MOUNTING

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Fixed hardened surface e.g. concrete or asphalt
4. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approx. 2 - 4 cm)
7. Ground



MOUNTING TO CONCRETE FOUNDATION

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
4. Ground