



OPTIONS

Top

- soft wood
- hardwood of European origin
- hard wood (oil finish)
- premium hard wood
- HPL
- carbon steel (s235Jr)
- stainless steel (Aisi 304)

Methods of installation

- attached by bolts to foundation

Battery pack

- gel batteries 36 Ah
- lithium batteries 60 Ah

Wi-Fi hotspot

- none
- 2.4 GHz; 3G, 4G (no SIM card included)

LED lights

- 2 x 1m (4.8 W / 1m) - neutral white



Logo

- none
- etching in stainless steel
- sticker
- milled in wood
- milled in HPL

DESCRIPTION

Scandik solar station is dedicated for comfortable remote working. It is an excellent alternative to popular work in often crowded cafés. Ergonomic tables for working sitting or standing, **4 USB A ports supporting quick charge**, **hotspot Wi-Fi**, **telemetry module** and **two 230V sockets** - that is everything you need to really enjoy...





GENERAL TECHNICAL DATA

Electrical specifications

- max. output of the photovoltaic panel: 200 W
- battery capacity: 75 Ah
- working temperature: -20°C - 60°C

Materials

- carbon steel, stainless steel
- European softwood, exotic wood, HPL

Basic equipment

- four USB 3.0 quick charge ports
- LED lighting
- battery charge indicator

Dimensions

- width: 165.5 cm
- height: 245 cm
- base depth: 40 cm
- overall depth: 107 cm
- height of top table: 105 cm
- height of lower table: 85 cm

Capacity

- pot capacity: 154 l

Weight

- 354 kg

ZANO




Iwona Żaczek

Product:
Solar charging station Scandik
Catalog number: **19.046**
Designer: Iwona Żaczek

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

NOTE: The drawings do not reflect the actual dimensions of the foundation. They are only exemplary assembly schemes taking into account the type of anchoring and the substrate material to which the furniture is to be fixed.


The size of the foundation depends on the local foundation conditions.



INSTALLATION INTO PAVING WITH FOUNDATION

Description of the assembly


1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
7. Ground



INSTALLATION TO PAVING

Description of the assembly


1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Ground



CONCRETE / ASPHALT MOUNTING

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Fixed hardened surface e.g. concrete or asphalt
4. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approx. 2 - 4 cm)
7. Ground



MOUNTING TO CONCRETE FOUNDATION

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
4. Ground