



OPTIONS

Decoration

- soft wood
- hardwood of European origin
- hard wood (oil finish)
- premium hard wood


Methods of installation

- attached by bolts to foundation

DESCRIPTION

The **Soft bicycle stand** is a continuation of the [Soft city furniture line](#), which includes city benches, planters, litter bins, street pillars, and tables. The Soft line is distinguished by its modern look, a characteristic slightly inclined shape of the furniture.

The stand is constructed of steel and wood. Between two steel sheets there is a wooden element of decorative character. The stand can be made in carbon steel, galvanized and powder coated in the [RAL colour](#) indicated by the customer, or in stainless steel. The wood we use to manufacture the stand is coniferous wood of domestic origin, available in several [variants of varnish](#). For an extra charge there is a possibility to choose [exotic wood](#). Sheets are 10 mm thick which translates into strength and stability of the structure. The stand has footrests with holes for screwing it to the base with rawbolts. The stand allows to fasten at least two bicycles.



GENERAL TECHNICAL DATA

Dimensions

- height: 72 cm
- depth: 102 cm
- width of stand: 6 cm

Materials

- wood
- carbon steel or stainless steel

ZANO



Iwona Żaczek


Product: Soft Bicycle Rack
Catalog number: **05.012**
Designer: Iwona Żaczek

In accordance with the Polish Law on Copyright and Related Rights of 04.02.1994 (Official Journal of Laws No. 24, item 83, corrected: Journal of Laws No. 43, item 170) and in accordance with the EU copyright legislation including all EU directives and regulations on copyright, Zano Mirosław Zarotynski Company, reserves the copyright of drawings, descriptions, 3D models, renderings, graphics, content contained in offers, attachments to offers and all other documents. Its content is the intellectual property of ZANO Mirosław Zarotynski company. The use of author's ideas, solutions, copying, distribution of photos, graphics or fragments of graphics, descriptive texts, for profit, without the permission of the author - ZANO Mirosław Zarotynski company - is prohibited and constitutes a copyright infringement and is punishable.

td>

NOTE: The drawings do not reflect the actual dimensions of the foundation. They are only exemplary assembly schemes taking into account the type of anchoring and the substrate material to which the furniture is to be fixed.


The size of the foundation depends on the local foundation conditions.



INSTALLATION INTO PAVING WITH FOUNDATION

Description of the assembly


1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
7. Ground



INSTALLATION TO PAVING

Description of the assembly


1. ZANO product
2. Quick-action fastener or chemical anchor
3. Stone paving / concrete paving / stone slabs / concrete slabs
4. Sand ballast (approx. 2 - 4 cm)
5. Stone aggregate substructure
6. Ground



CONCRETE / ASPHALT MOUNTING

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Fixed hardened surface e.g. concrete or asphalt
4. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
5. Stone aggregate substructure
6. Sand ballast (approx. 2 - 4 cm)
7. Ground



MOUNTING TO CONCRETE FOUNDATION

Description of the assembly

1. ZANO product
2. Quick-action fastener or chemical anchor
3. Concrete foundation, class C16/20 (top surface concrete 10 cm below paving surface)
4. Ground